

2012 September Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIRES

| ANIMAL NAME Ident | | Owner Code(s) | Sire | Statistics | | | | Birth | | Growth | | | | | Carcase | | | | Indexes | | | | |
|-----------------------------------|----|------------------|------------|-------------|--------------|--------------|--------------|-----------|------------|------------|------------|------------|------------|-------------|-----------|------------|------------|-------------|-------------|--------------|-----|-----|-----|
| | | | | Num Herd | Prog Anly | Prog Scan | Perf Dtrs | GL acc | Bwt acc | 200 acc | 400 acc | 600 acc | Mwt acc | MILK acc | SS acc | EMA acc | Rib acc | Rump acc | IMF% acc | Full Flot | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| ACC WAGYU FUKUJIRO Z12 | 18 | | GOSFV0106 | 2 | 74 | 27 | 24 | --- | -0.5 | +3 | +10 | +18 | +17 | +2 | -1.5 | -0.7 | +0.5 | +0.9 | +0.4 | +28 | --- | --- | --- |
| ACCPZ0012 | | | | | | | | | 75% | 88% | 84% | 85% | 75% | 81% | 65% | 58% | 74% | 74% | 60% | | | | |
| ASHWOOD F X014 | | 38 | IMUFQ0502 | 1 | 39 | 23 | 7 | -0.3 | +5.5 | +25 | +43 | +68 | +82 | +8 | +2.7 | +2.1 | -0.3 | -0.4 | -0.2 | +56 | --- | --- | --- |
| HS FX0014 | | | | | | | | | 91% | 86% | 86% | 83% | 68% | 58% | 60% | 54% | 73% | 73% | 57% | | | | |
| BALD RIDGE ITOZURUDOJ B205 | | 38 | IMUFLTF151 | 1 | 87 | 54 | 5 | -0.2 | +2.3 | +16 | +26 | +33 | +33 | -5 | +0.2 | +1.2 | -0.1 | +0.1 | +0.1 | +37 | --- | --- | --- |
| CCCFB0205 | | | | | | | | | 94% | 91% | 91% | 89% | 75% | 64% | 87% | 63% | 77% | 78% | 65% | | | | |
| BAR R SANJIRO 4P (IMP USA) | | 12 | PEDFP100 | 2 | 36 | 25 | 5 | +0.8 | +0.8 | +2 | +6 | +5 | +7 | -1 | -1.6 | -0.2 | -0.3 | 0.0 | +0.4 | +11 | --- | --- | --- |
| IMUFY5663 | | | | | | | | | 79% | 78% | 78% | 76% | 65% | 53% | 53% | 51% | 64% | 65% | 52% | | | | |
| BLACK GOLD FARMS GAKI | | 38 | IMUFP0036 | 1 | 78 | 73 | 5 | +1.1 | +0.9 | +8 | +11 | +16 | +18 | -2 | -0.5 | +1.4 | +0.8 | +0.4 | +0.2 | +24 | --- | --- | --- |
| JJ/FW0023 | | | | | | | | | 93% | 87% | 91% | 79% | 63% | 60% | 87% | 62% | 76% | 76% | 63% | | | | |
| BLACKMORE AIZATZURUDOJ Y398 | | 6 | IMJFMJ068 | 4 | 55 | 6 | 0 | -0.8 | -0.9 | +1 | +4 | -1 | -6 | --- | --- | -1.6 | -0.3 | +0.2 | -0.2 | -18 | --- | --- | --- |
| BYWYF0398 | | | | | | | | | 91% | 86% | 84% | 84% | 70% | --- | --- | 47% | 51% | 53% | 41% | | | | |
| BLACKMORE HIKOSHIGEFUJI Y342 | | 6 | IMUFQTF147 | 4 | 25 | 7 | 0 | -1.1 | +2.7 | +14 | +25 | +31 | +37 | +5 | +1.0 | -0.4 | -1.0 | -1.1 | -0.8 | -10 | --- | --- | --- |
| BYWYF0342 | | | | | | | | | 85% | 79% | 79% | 75% | 65% | 56% | 54% | 50% | 56% | 57% | 49% | | | | |
| BON KING TWA R061 (IMP USA) | | 11 | IMUFN2294 | 1 | 45 | 0 | 0 | -0.7 | +1.8 | +10 | +17 | +15 | +17 | --- | --- | --- | --- | --- | --- | +2 | --- | --- | --- |
| BKEFR0061 | | | | | | | | | 67% | 73% | 81% | 85% | 72% | --- | --- | --- | --- | --- | --- | | | | |
| COBUNGRA 5048 | | 38 | IMUFLTF151 | 1 | 88 | 59 | 12 | -0.7 | +0.9 | +15 | +24 | +33 | +27 | -1 | +0.3 | +2.4 | +0.2 | +0.3 | -0.1 | +39 | --- | --- | --- |
| 898FA0048 | | | | | | | | | 95% | 91% | 91% | 90% | 75% | 68% | 85% | 65% | 79% | 79% | 66% | | | | |
| COBUNGRA 5052 | | 38 | IMUFLTF151 | 1 | 115 | 85 | 5 | +0.5 | +5.6 | +22 | +41 | +49 | +56 | -1 | +2.1 | +3.1 | -0.2 | 0.0 | -0.1 | +45 | --- | --- | --- |
| 898FA0052 | | | | | | | | | 96% | 92% | 92% | 90% | 75% | 61% | 91% | 67% | 80% | 80% | 68% | | | | |
| DAI 6 SEIZAN (IMP JAP) | | 36 | PEDFAJ587 | 3 | 142 | 88 | 24 | +1.1 | 0.0 | +3 | -1 | 0 | +5 | +6 | -1.2 | -0.8 | -0.1 | -0.1 | -0.5 | -32 | --- | --- | --- |
| IMJFP2947 | | | | | | | | | 96% | 93% | 94% | 92% | 85% | 85% | 90% | 74% | 85% | 85% | 75% | | | | |
| ECHIGO FARMS F B1001 | | 7 | IMJFAJ2703 | 2 | 39 | 0 | 0 | -1.2 | +1.4 | +10 | +24 | +31 | +24 | +11 | +1.8 | +3.6 | +0.6 | +0.6 | -0.3 | +37 | --- | --- | --- |
| ECHFB1001 | | | | | | | | | 70% | 81% | 78% | 77% | 67% | 55% | 63% | 53% | 57% | 57% | 52% | | | | |
| EIKICHI | | 20 | PEDFAJ930 | 2 | 43 | 31 | 0 | +0.7 | -0.3 | +5 | +9 | +4 | +2 | --- | -0.2 | -1.2 | -0.2 | +0.2 | +0.7 | +25 | --- | --- | --- |
| PEDFU999 | | | | | | | | | 89% | 84% | 83% | 79% | 61% | --- | --- | 53% | 70% | 71% | 55% | | | | |
| FUKUTSURU J068 (IMP JAP) | | 31 | PEDFAJ774 | 15 | 172 | 35 | 24 | -0.8 | -2.7 | -7 | -10 | -20 | -27 | +12 | -2.9 | -4.1 | -0.3 | +0.3 | 0.0 | -39 | --- | --- | --- |
| IMJFMJ068 | | | | | | | | | 94% | 93% | 93% | 92% | 87% | 81% | 84% | 71% | 81% | 82% | 71% | | | | |
| GEANCA F A7085 | | 30 | IMUFLTF151 | 1 | 61 | 0 | 7 | -0.7 | +2.1 | +13 | +13 | +17 | +12 | -1 | +0.1 | --- | --- | --- | --- | +17 | --- | --- | --- |
| 7GHFA7085 | | | | | | | | | 92% | 87% | 81% | 80% | 68% | 62% | 50% | --- | --- | --- | --- | | | | |
| GEANCA F Y7234 | | 21 | IMUFM2100 | 1 | 15 | 0 | 4 | +0.1 | -0.3 | +5 | +4 | +2 | -7 | -4 | --- | --- | --- | --- | --- | +17 | --- | --- | --- |
| 7GHFY7234 | | | | | | | | | 78% | 76% | 75% | 72% | 62% | 58% | --- | --- | --- | --- | --- | | | | |
| GINJO MARBLEMAX HIRANAMI B901 | | 7 | IMJFAJ2351 | 1 | 37 | 0 | 0 | +3.0 | +3.7 | +21 | +25 | +33 | +33 | +3 | +0.9 | +1.3 | +0.3 | 0.0 | --- | +24 | --- | --- | --- |
| GINFB0901 | | | | | | | | | 65% | 79% | 75% | 74% | 64% | 58% | 53% | 49% | 51% | 51% | --- | | | | |
| GINJO MARBLEMAX HIRANAMI C878 | | 7 | IMJFAJ2351 | 2 | 42 | 0 | 0 | +3.2 | +3.0 | +16 | +20 | +27 | +28 | +3 | +1.1 | +1.3 | +0.3 | +0.1 | --- | +20 | --- | --- | --- |
| GINFC0878 | | | | | | | | | 64% | 77% | 71% | 68% | 59% | 58% | 62% | 49% | 51% | 51% | --- | | | | |
| GOOREE KIKIFUKU U040 (IMP USA) | | 5 | IMJFMJ068 | 1 | 21 | 0 | 9 | --- | -0.7 | +1 | -2 | -4 | -14 | +7 | -1.7 | -2.1 | 0.0 | +0.2 | --- | -7 | --- | --- | --- |
| GPPFU0040 | | | | | | | | | 64% | 71% | 74% | 75% | 74% | 74% | 56% | 47% | 55% | 56% | --- | | | | |
| GOSHU FUKUMATSU | | 25 | IMJFMJ068 | 2 | 21 | 17 | 0 | -0.5 | -2.6 | -7 | -5 | -12 | -14 | +1 | -1.7 | -1.7 | -0.8 | -0.2 | -0.2 | -28 | --- | --- | --- |
| GOSFZ0302 | | | | | | | | | 85% | 79% | 78% | 81% | 70% | 51% | 77% | 57% | 68% | 69% | 57% | | | | |
| GOSHU MICHISHIGE | | 39 | IMUFM1615 | 1 | 36 | 22 | 5 | +1.4 | +1.2 | +7 | +11 | +15 | +26 | -10 | -0.6 | -0.3 | -0.3 | +0.3 | +0.4 | +19 | --- | --- | --- |
| GOSFU0065 | | | | | | | | | 73% | 83% | 84% | 83% | 75% | 64% | 78% | 63% | 71% | 72% | 61% | | | | |
| GOSHU MICHITADA | | 25 | IMUFM1615 | 1 | 14 | 10 | 0 | +1.4 | +1.1 | +7 | +11 | +3 | +2 | -9 | -1.4 | +0.1 | +0.9 | +0.9 | +0.4 | +12 | --- | --- | --- |
| GOSFA0333 | | | | | | | | | 86% | 75% | 76% | 75% | 68% | 56% | 77% | 59% | 66% | 67% | 57% | | | | |
| GOSHU MICHITARO | | 22 | IMUFM1615 | 1 | 29 | 8 | 14 | +1.1 | +0.4 | +3 | +8 | +5 | +11 | -10 | -0.7 | -0.5 | -0.1 | +0.4 | +0.3 | +9 | --- | --- | --- |
| GOSFU0083 | | | | | | | | | 73% | 81% | 81% | 81% | 78% | 78% | 70% | 61% | 70% | 71% | 61% | | | | |
| GOSHU YASUKATA (IMP USA) | | 38 | PEDFS100 | 2 | 77 | 51 | 0 | +0.9 | -0.5 | -1 | 0 | -1 | +3 | --- | +0.1 | +0.2 | +1.8 | +2.2 | +1.1 | +42 | --- | --- | --- |
| GOSFZ0324 | | | | | | | | | 92% | 87% | 85% | 81% | 64% | 84% | --- | 56% | 71% | 72% | 58% | | | | |
| HARUKI II (IMP USA) | | 26 | PEDFA201 | 25 | 134 | 22 | 22 | -3.2 | +0.2 | +20 | +33 | +42 | +47 | +3 | +1.0 | +1.8 | +0.9 | +1.4 | +0.9 | +77 | --- | --- | --- |
| IMUFM1614 | | | | | | | | | 93% | 92% | 92% | 91% | 87% | 86% | 74% | 70% | 81% | 81% | 70% | | | | |
| AVERAGE EBV FOR 2010 BORN CALVES: | | | | | | | | +0.1 | +1.0 | +9 | +14 | +18 | +18 | +1 | +0.1 | +0.4 | +0.2 | +0.3 | +0.1 | +20 | --- | --- | --- |

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

☐ Denotes Trait Leader.

2012 September Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIRES

| ANIMAL NAME Ident | Owner Code(s) | Sire | Statistics | | | | GROUP ESTIMATED BREEDING VALUES | | | | | | | | | | | | | | | |
|--|------------------|-------------|-------------|--------------|--------------|--------------|---------------------------------|-------------|------------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-----|-----|-----|
| | | | Num Herd | Prog Anly | Prog Scan | Perf Dtrs | Birth | | Growth | | | | | Carcase | | | | Indexes | | | | |
| | | | | | | | GL acc | Bwt acc | 200 acc | 400 acc | 600 acc | Mwt acc | MILK acc | SS acc | EMA acc | Rib acc | Rump acc | IMF% acc | Full Flot | | | |
| HAWKESBURY HARUNAMI A2 HWKFA0002 | 18 | WESFY0269 | 2 | 71 | 50 | 12 | +0.1 54% | +0.3 87% | -2 89% | -3 88% | -3 88% | 0 73% | -1 64% | -0.4 83% | +0.1 60% | +1.1 72% | +0.9 73% | +0.6 61% | +18 | --- | --- | --- |
| HAWKESBURY HOKKAIDO D1120 HWKFD1120 | 18 | IMJFAJ2351 | 1 | 49 | 18 | 0 | +1.9 62% | +3.4 84% | +19 86% | +24 85% | +33 84% | +33 73% | +6 60% | +0.8 83% | +1.1 65% | -0.7 72% | -1.1 73% | -0.2 63% | +22 | --- | --- | --- |
| HAWKESBURY OSAKA D1118 HWKFD1118 | 29 | IMJFAJ2810 | 1 | 18 | 16 | 0 | -1.1 59% | +0.4 78% | +12 79% | +16 80% | +17 78% | +13 68% | -1 58% | -0.8 81% | -0.2 63% | +0.3 69% | +0.6 71% | +0.3 61% | +25 | --- | --- | --- |
| HB BIG AL Q502 FB2998 IMUFQ0502 | 17 | PEDPAMITSU | 4 | 5 | 2 | 5 | --- | +4.2 78% | +21 77% | +37 78% | +62 75% | +76 65% | +7 65% | +3.3 57% | +1.3 51% | -0.4 66% | -0.4 67% | -0.3 53% | +49 | --- | --- | --- |
| HEART BRAND RED EMPEROR (IMP USA) HBCFV2139 | 9 | IMUFQ0502 | 3 | 159 | 56 | 4 | --- | +1.7 83% | +6 87% | +10 88% | +29 84% | +39 67% | +6 46% | +1.8 51% | +0.4 50% | -0.5 69% | -0.4 69% | -0.4 53% | +13 | --- | --- | --- |
| HIKARI J251830R (IMP JAP) IMUFN2455 | 17 | PEDPAMITSU | 2 | 22 | 0 | 16 | --- | +3.5 75% | +20 77% | +28 78% | +50 76% | +62 66% | +6 48% | +1.9 48% | +1.0 43% | -0.3 56% | 0.0 57% | --- | +26 | --- | --- | --- |
| HIRASHIGETAYASU J2351 HONGEN (IMP JAP) IMJFAJ2351 | 36 | PEDFAJ287 | 20 | 1535 | 702 | 358 | +5.1 97% | +5.5 99% | +28 98% | +39 98% | +52 98% | +57 97% | +8 97% | +2.0 97% | +2.5 92% | -0.1 95% | -0.6 96% | -0.5 91% | +30 | --- | --- | --- |
| IRONGATE WAGYU NOMBY ICHIRYUNO C016 IGWFC0016 | 13 | GYFFZ0022 | 1 | 18 | 0 | 0 | --- | +3.1 58% | +20 68% | +28 66% | +40 75% | +46 62% | --- | +0.5 68% | +0.5 41% | -1.3 46% | -1.3 48% | -0.2 32% | +23 | --- | --- | --- |
| ITOMORITAKA J2703 HONGEN (IMP JAP) IMJFAJ2703 | 36 | PEDFAJ1555 | 12 | 668 | 247 | 201 | -1.1 96% | +4.0 98% | +23 98% | +36 98% | +50 97% | +35 96% | +16 97% | +3.8 95% | +5.4 88% | +0.7 93% | +0.5 94% | -0.5 88% | +61 | --- | --- | --- |
| ITOSHIGEFUJI (IMP USA) IMUFQTF147 | 32 | PEDFAJ483 | 28 | 537 | 118 | 92 | +0.4 92% | +2.8 97% | +16 96% | +32 96% | +41 96% | +50 89% | +6 92% | +0.5 88% | -0.8 76% | -1.4 86% | -1.1 86% | -1.0 76% | -14 | --- | --- | --- |
| ITOSHIGENAMI (IMP USA) IMUFQTF148 | 32 | PEDFA10632 | 29 | 995 | 494 | 189 | +0.7 94% | -1.0 98% | +1 98% | 0 98% | -2 97% | -15 93% | -5 96% | -1.1 96% | +0.3 86% | +1.8 93% | +1.8 93% | +0.8 85% | +39 | --- | --- | --- |
| ITOZURUDOI TF151 (IMP USA) IMUFLTF151 | 32 | PEDFAJ1081 | 20 | 261 | 91 | 91 | -1.0 83% | +1.8 96% | +15 94% | +26 94% | +36 93% | +34 88% | +1 91% | +0.7 89% | +0.8 73% | -0.8 83% | -1.1 84% | +0.1 73% | +40 | --- | --- | --- |
| JVP FUKUKANE 402E (IMP USA) IMUFQ0402 | 35 | IMJFMJ068 | 10 | 70 | 2 | 8 | -1.9 80% | -1.2 85% | +3 85% | +10 87% | +11 86% | +10 77% | +6 64% | -0.9 75% | -1.8 52% | -1.1 62% | -0.9 63% | +0.1 50% | +3 | --- | --- | --- |
| JVP YASUTANIYOSHI 408 (IMP USA) IMUFQ0408 | 35 | IMUFN2102 | 2 | 12 | 0 | 10 | --- | +1.2 55% | +10 64% | +17 69% | +28 75% | +34 62% | +1 29% | --- | --- | --- | --- | --- | +29 | --- | --- | --- |
| KANADAGENE 100(IMP CAN) IMUFP0100 | 34 | IMUFM1615 | 7 | 95 | 17 | 14 | +1.4 66% | +1.6 77% | +9 85% | +16 86% | +19 85% | +22 81% | -9 73% | -1.3 70% | +2.0 62% | +0.3 71% | +0.8 72% | +0.8 61% | +48 | --- | --- | --- |
| KIKUTERUSHIGE (IMP USA) IMUFMTF150 | 32 | PEDFAJ10787 | 23 | 311 | 80 | 89 | -1.8 89% | -4.2 97% | -10 96% | -21 96% | -26 96% | -46 92% | 0 95% | -2.5 89% | -1.6 78% | +0.3 88% | +1.1 88% | +0.7 78% | +6 | --- | --- | --- |
| KIKUYASU 400 (IMP JAP) IMUFM2100 | 20 | PEDFA301 | 15 | 47 | 0 | 5 | +0.6 66% | +0.3 88% | +6 89% | -2 90% | 0 90% | -15 85% | -10 82% | -1.6 71% | +0.3 66% | +0.5 76% | +1.0 77% | +0.2 65% | +16 | --- | --- | --- |
| KITAGUNI JR PEDFP001 | | PEDFAJ1530 | 5 | 78 | 61 | 20 | -1.2 67% | -3.5 92% | -12 88% | -19 88% | -28 84% | -33 74% | +3 76% | +0.4 81% | -2.3 65% | +1.1 78% | +1.2 79% | +0.5 66% | -7 | --- | --- | --- |
| KITAHATSUHI 97/1 (IMP USA) IMUFSR018 | 36 | IMJFAJ2810 | 4 | 194 | 21 | 4 | -1.6 68% | +2.4 81% | +20 91% | +32 92% | +46 83% | +54 71% | +4 73% | +0.8 67% | +0.8 60% | -1.0 65% | -1.6 66% | -0.2 58% | +29 | --- | --- | --- |
| KITATERUYASUDOI J2810 HONGEN (IMP JAP) IMJFAJ2810 | 36 | PEDFAJ1742 | 20 | 1910 | 732 | 490 | -2.3 97% | -1.1 99% | 0 98% | +1 98% | 0 98% | 0 98% | +1 98% | -0.9 98% | -1.9 94% | -0.4 97% | -0.4 97% | +0.2 94% | -2 | --- | --- | --- |
| KITATSURUKIKU DOI (IMP JAP) IMJFQ3161 | 36 | PEDFAJ774 | 3 | 192 | 129 | 57 | -4.8 88% | -5.0 97% | -6 95% | -7 95% | -13 94% | -36 88% | 0 93% | -1.9 92% | -1.4 80% | -0.4 89% | -0.1 89% | -0.4 80% | -20 | --- | --- | --- |
| LMR TOSHIRO 1/3 LMRFC723T | 12 | IMUFN2127 | 1 | 18 | 5 | 0 | +1.1 56% | +2.5 84% | +14 75% | +26 72% | +30 69% | +36 61% | --- | +0.6 41% | +0.7 37% | -0.2 43% | +0.2 43% | -0.1 35% | +20 | --- | --- | --- |
| LMR YOJIMBO LMRFB634S | 12,24 | PEDFT36H | 1 | 21 | 11 | 0 | --- | +1.1 85% | +4 78% | +11 74% | +12 70% | +16 57% | --- | -1.0 44% | +0.5 41% | +1.2 54% | +1.1 54% | +0.4 42% | +22 | --- | --- | --- |
| LONGFORD F E0241 LDFE0241 | 18 | TWAFR0003 | 1 | 20 | 0 | 0 | -1.1 52% | +2.1 63% | +18 75% | +27 66% | +34 65% | +38 55% | +2 52% | +0.6 54% | -0.1 44% | -0.6 50% | -0.3 50% | -0.1 44% | +22 | --- | --- | --- |
| LONGFORD HONJO LDFDT0475 | 11 | IMUFM1615 | 3 | 29 | 1 | 1 | +0.6 56% | +0.2 69% | +5 73% | +6 78% | +7 77% | +14 68% | -8 57% | -1.3 64% | +0.8 54% | +0.8 57% | +1.1 58% | +0.7 51% | +28 | --- | --- | --- |
| AVERAGE EBV FOR 2010 BORN CALVES: | | | | | | | +0.1 | +1.0 | +9 | +14 | +18 | +18 | +1 | +0.1 | +0.4 | +0.2 | +0.3 | +0.1 | +20 | | | |

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

☐ Denotes Trait Leader.

2012 September Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIRES

| ANIMAL NAME Ident | Owner Code(s) | Sire | Statistics | | | | Birth | | Growth | | | | | Carcase | | | | Indexes | | | |
|--|------------------|--------------|-------------|--------------|--------------|--------------|-------------|-------------|------------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-----|-----|
| | | | Num Herd | Prog Anly | Prog Scan | Perf Dtrs | GL acc | Bwt acc | 200 acc | 400 acc | 600 acc | Mwt acc | MILK acc | SS acc | EMA acc | Rib acc | Rump acc | IMF% acc | Full Flot | | |
| | | | | | | | | | | | | | | | | | | | | | |
| LONGFORD ZAKI LDFDT0476 | 11 | IMUFM1615 | 1 | 21 | 0 | 0 | +0.6 | +0.3 | +5 | +6 | +11 | +19 | -9 | -1.4 | +0.7 | +0.7 | +0.9 | +0.7 | +32 | --- | --- |
| MICHIFUKU (IMP USA) IMUFM1615 | 26 | PEDFA201 | 43 | 736 | 266 | 160 | +1.9 | +0.7 | +4 | +5 | 0 | +7 | -11 | -1.8 | +1.0 | +1.2 | +1.6 | +0.9 | +27 | --- | --- |
| MOYHU TANI MOYFZ0179 | 15 | TWAFR0007 | 3 | 60 | 36 | 22 | +0.6 | +0.8 | +5 | +3 | +1 | +6 | -4 | -1.0 | -0.6 | +1.1 | +1.4 | +0.6 | +15 | --- | --- |
| OVERFLOW KANEYAMA (IMP USA) WSRFQ0062 | 26 | IMUFM1614 | 7 | 440 | 22 | 83 | -1.8 | -0.7 | +13 | +18 | +22 | +8 | -5 | -0.1 | +1.6 | +0.8 | +1.9 | +0.6 | +60 | --- | --- |
| OVERFLOW KATSUMI (IMP USA) WSRFS0060 | 26 | IMUFM1615 | 7 | 381 | 58 | 119 | -0.5 | -2.4 | -5 | -14 | -20 | -11 | -14 | -2.8 | -0.6 | +1.0 | +1.0 | +0.7 | -6 | --- | --- |
| OVERFLOW OSKAR (IMP USA) WSRFS0071 | 26 | IMUFM1615 | 3 | 105 | 0 | 33 | +1.2 | -0.9 | +3 | +5 | -1 | -7 | -8 | -0.7 | +0.8 | +0.9 | +1.4 | --- | +28 | --- | --- |
| PASAGEAN ITOHANA 2 D031 7GHFD0031 | 30 | IMUFN2294 | 1 | 20 | 0 | 0 | -0.6 | +1.8 | +5 | +7 | +10 | +10 | +3 | +0.8 | --- | --- | --- | --- | +6 | --- | --- |
| PASAGEAN ITOSHIGENAMI C7279 7GHFC7279 | 30 | IMUFQTF148 | 1 | 77 | 0 | 3 | +0.6 | +0.7 | +6 | +7 | +6 | -4 | -5 | -0.7 | +0.1 | +0.9 | +0.9 | --- | +30 | --- | --- |
| PASAGEAN KITATERUYASUDO C5187 7GHFC5187 | 30 | IMJFAJ2810 | 1 | 16 | 0 | 0 | +0.1 | +1.5 | +10 | +17 | +21 | +22 | +6 | +0.6 | +0.5 | -0.2 | -0.3 | -0.1 | +14 | --- | --- |
| PASAGEAN KITATERUYASUDO D026 7GHFD0026 | 30 | IMJFAJ2810 | 1 | 24 | 0 | 0 | -1.5 | -1.9 | -2 | 0 | +2 | +2 | -0.6 | -1.2 | -0.5 | -0.3 | -0.1 | -7 | --- | --- | |
| SANJIROU PEDFP100 | | IMUFM1615 | 2 | 42 | 20 | 10 | +1.4 | +0.9 | +3 | +5 | +2 | +6 | -7 | -1.3 | +1.6 | 0.0 | +0.8 | +0.6 | +22 | --- | --- |
| SHIGEFUKU J1822 (IMP JAP) IMJFF0005 | 36 | PEDFAJ287 | 3 | 183 | 126 | 25 | +0.2 | +0.6 | +4 | +8 | +19 | +37 | +7 | +1.8 | -1.6 | +1.2 | +0.7 | -0.2 | -1 | --- | --- |
| SHIGEMARU (IMP USA) IMUFN2124 | 17 | PEDFA445 | 2 | 18 | 4 | 22 | --- | +3.0 | +16 | +17 | +28 | +29 | 0 | +2.4 | -0.4 | +0.6 | +0.9 | -0.2 | +23 | --- | --- |
| SR Y13 SANJI PEDFZ013 | 1 | PEDFP100 | 1 | 42 | 26 | 0 | +0.2 | +2.7 | +14 | +19 | +26 | +27 | --- | -0.6 | +1.0 | -0.5 | -0.3 | +0.5 | +40 | --- | --- |
| TAKAZAKURA PEDFA2892 | | PEDFATAKAEIM | 7 | 115 | 91 | 7 | -0.2 | +0.9 | +7 | +14 | +19 | +32 | -6 | +0.6 | -2.5 | -1.0 | -0.3 | -0.2 | -5 | --- | --- |
| TAKEDA FARM FUKUTSURU 004 TFWFW0629 | 32 | IMJFMJ068 | 4 | 101 | 71 | 14 | +0.2 | -1.4 | -4 | +3 | -3 | -4 | +7 | -2.1 | -1.9 | +0.6 | +0.9 | +0.6 | +7 | --- | --- |
| TAMARIND T4 ITOSHIGEFUJI 05/1 KT4FA0232 | 38 | IMUFQTF147 | 1 | 141 | 89 | 4 | -0.2 | +3.3 | +16 | +32 | +36 | +44 | +3 | +1.3 | -0.5 | -0.2 | +0.3 | -0.5 | +5 | --- | --- |
| TAMARIND T4 ITOSHIGEFUJI 05/6 KT4FA0241 | 38 | IMUFQTF147 | 1 | 30 | 25 | 1 | +1.1 | +2.7 | +13 | +20 | +26 | +36 | +1 | -0.5 | -1.4 | -1.0 | -0.5 | -0.5 | -13 | --- | --- |
| TAMARIND T4 ITOSHIGEFUJI 06/4 KT4FB0272 | 38 | IMUFQTF147 | 1 | 54 | 36 | 11 | -0.3 | +2.0 | +15 | +34 | +44 | +53 | +9 | +0.8 | +1.8 | +0.3 | +0.7 | +0.1 | +43 | --- | --- |
| TERUTANI J2494 TF40 (IMP JAP) IMUFJTF40 | 32 | PEDFAJ10787 | 20 | 66 | 2 | 12 | -1.1 | -2.5 | -4 | -10 | -9 | -16 | -1 | -1.0 | -2.1 | -0.6 | +0.2 | +0.1 | -7 | --- | --- |
| TF ITOHANA 2 (IMP USA) IMUFN2294 | 32 | PEDFA504 | 24 | 242 | 58 | 28 | -1.7 | +1.2 | +5 | +7 | +8 | +14 | +2 | +1.8 | -0.8 | +0.3 | +0.3 | -0.3 | -7 | --- | --- |
| TF ITOHANA 38/1 (IMP USA) IMUFR3236 | 10 | IMUFN2294 | 1 | 44 | 0 | 2 | -4.1 | -0.2 | +3 | +11 | +8 | +11 | +1 | --- | --- | --- | --- | --- | +3 | --- | --- |
| TF ITOMICHI 1/2 (IMP USA) IMUFP0036 | 32 | PEDFA500 | 29 | 214 | 6 | 13 | +2.1 | +1.8 | +12 | +18 | +23 | +26 | +5 | +0.3 | +1.8 | +1.3 | +0.1 | +0.1 | +26 | --- | --- |
| TF KIKUHANA 37/2 (IMP USA) IMUFR3252 | 10 | IMUFN2127 | 3 | 26 | 0 | 0 | +2.7 | +1.8 | +8 | +13 | +18 | +27 | +3 | --- | --- | --- | --- | --- | +3 | --- | --- |
| TF KIKUHANA (IMP USA) IMUFN2127 | 32 | PEDFA504 | 18 | 111 | 3 | 12 | +3.1 | +3.1 | +10 | +17 | +25 | +37 | +1 | +0.7 | +0.7 | -0.7 | -0.3 | -0.6 | -7 | --- | --- |
| AVERAGE EBV FOR 2010 BORN CALVES: | | | | | | | +0.1 | +1.0 | +9 | +14 | +18 | +18 | +1 | +0.1 | +0.4 | +0.2 | +0.3 | +0.1 | +20 | | |

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

☐ Denotes Trait Leader.

2012 September Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIRES

| ANIMAL NAME Ident | | Owner Code(s) | Sire | Statistics | | | | Birth | | Growth | | | | | | Carcase | | | | Indexes | | | |
|--|--|------------------|------------|-------------|--------------|--------------|--------------|-------------|-------------|------------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-----|-----|-----|
| | | | | Num Herd | Prog Anly | Prog Scan | Perf Dtrs | GL acc | Bwt acc | 200 acc | 400 acc | 600 acc | Mwt acc | MILK acc | SS acc | EMA acc | Rib acc | Rump acc | IMF% acc | Full Flot | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| TF KINTO (IMP USA) | | | | 7 | 60 | 0 | 5 | -2.8 | -1.8 | +3 | +4 | +5 | +3 | +3 | --- | --- | --- | --- | -5 | --- | --- | --- | |
| IMUFN2299 | | 32 | PEDFA520 | | | | | 77% | 90% | 84% | 85% | 81% | 66% | 60% | | | | | | | | | |
| TF TERUTANI 40/1 (IMP USA) | | | | 21 | 246 | 12 | 59 | -0.7 | -0.1 | +12 | +22 | +28 | +37 | +6 | +1.0 | 0.0 | -0.5 | -0.3 | 0.0 | +20 | --- | --- | |
| IMUFR3258 | | 10 | IMUFJTF40 | | | | | 79% | 92% | 92% | 92% | 91% | 87% | 91% | 79% | 68% | 79% | 80% | 67% | | | | |
| TF YUKIHARUNAMI 4 (IMP USA) | | | | 6 | 18 | 9 | 5 | +0.4 | +3.9 | +17 | +28 | +35 | +38 | +6 | +1.1 | +2.1 | -0.7 | -0.8 | -0.8 | +2 | --- | --- | |
| IMUFQ2599 | | 4 | PEDFAYUKI | | | | | 59% | 79% | 78% | 77% | 76% | 65% | 56% | 63% | 49% | 64% | 65% | 51% | | | | |
| TF727 (IMP USA) | | | | 1 | 27 | 20 | 0 | +1.1 | +2.8 | +12 | +17 | +23 | +25 | --- | -0.2 | +1.4 | +1.4 | +1.5 | +0.6 | +44 | --- | --- | |
| IMUFBT727 | | 33 | PEDFV | | | | | 72% | 82% | 80% | 80% | 69% | 50% | 72% | 48% | 63% | 64% | 50% | | | | | |
| THE WRIGHT WAGYU ITOSHIGENAMI B50 | | | | 1 | 11 | 10 | 5 | -0.3 | -0.4 | +6 | +5 | +8 | +2 | 0 | -0.4 | -0.7 | +0.7 | +0.6 | +0.2 | +16 | --- | --- | |
| ACCFB0050 | | 29 | IMUFQTF148 | | | | | 56% | 69% | 76% | 76% | 74% | 65% | 66% | 60% | 56% | 64% | 65% | 57% | | | | |
| THE WRIGHT WAGYU KYOTO C0097 | | | | 2 | 32 | 28 | 3 | +1.1 | +2.4 | +11 | +20 | +30 | +34 | +6 | +1.1 | +0.3 | -1.2 | -1.1 | -0.4 | +10 | --- | --- | |
| ACCFC0097 | | 29 | WESFZ0278 | | | | | 52% | 84% | 84% | 84% | 84% | 71% | 58% | 77% | 57% | 69% | 70% | 58% | | | | |
| THE WRIGHT WAGYU TANI C0099 | | | | 1 | 14 | 12 | 11 | --- | +1.3 | +9 | +14 | +13 | +13 | +1 | -0.3 | -0.4 | +0.5 | +0.5 | 0.0 | +7 | --- | --- | |
| ACCFC0099 | | 29 | MOYFZ0179 | | | | | | 64% | 75% | 76% | 74% | 61% | 61% | 46% | 60% | 61% | 47% | | | | | |
| THE WRIGHT WAGYU TAYASU D051 | | | | 1 | 8 | 0 | 0 | --- | +4.2 | +22 | +39 | +52 | +57 | +5 | +1.3 | +2.6 | -0.5 | -0.7 | +0.1 | +54 | --- | --- | |
| ACCPD0051 | | 18 | WESFZ0278 | | | | | | 66% | 75% | 73% | 72% | 61% | 59% | 70% | 51% | 58% | 60% | 47% | | | | |
| THE WRIGHT WAGYU TERUTANI C089 | | | | 2 | 54 | 29 | 6 | -0.6 | +0.5 | +13 | +18 | +21 | +23 | +5 | +0.1 | -1.6 | -0.6 | 0.0 | -0.2 | +2 | --- | --- | |
| ACCFC0089 | | 29 | IMUFR3258 | | | | | 53% | 81% | 86% | 86% | 86% | 73% | 61% | 82% | 59% | 71% | 72% | 58% | | | | |
| TWA ICHIRYUNO (IMP USA) | | | | 13 | 194 | 89 | 65 | -0.6 | +1.5 | +16 | +23 | +29 | +39 | -2 | +0.2 | -1.2 | -0.8 | -0.1 | 0.0 | +14 | --- | --- | |
| TWAFR0003 | | 23 | PEDFA2892 | | | | | 87% | 94% | 94% | 94% | 94% | 83% | 87% | 90% | 69% | 81% | 82% | 69% | | | | |
| TWA KAJIKARI | | | | 2 | 41 | 14 | 2 | --- | +2.1 | +19 | +23 | +45 | +60 | +5 | +0.8 | +0.7 | -0.5 | -0.1 | -0.2 | +28 | --- | --- | |
| TWAFS0363 | | 8,19 | IMUFN2455 | | | | | | 81% | 78% | 78% | 76% | 65% | 47% | 57% | 37% | 50% | 51% | 36% | | | | |
| TWA KOTSUKARI | | | | 2 | 26 | 11 | 5 | --- | +4.4 | +21 | +28 | +50 | +62 | +6 | --- | +0.4 | 0.0 | +0.3 | -0.9 | +11 | --- | --- | |
| TWAFS0348 | | 28 | IMUFN2455 | | | | | | 70% | 75% | 76% | 72% | 59% | 66% | | 48% | 63% | 64% | 49% | | | | |
| TWA SHIKIKAN (IMP USA) | | | | 10 | 362 | 52 | 77 | +0.3 | +0.8 | +4 | +6 | +7 | +14 | -6 | +0.1 | -1.8 | -0.6 | +0.1 | +0.3 | +7 | --- | --- | |
| TWAFR0007 | | 37 | PEDFA2892 | | | | | 90% | 91% | 94% | 94% | 93% | 83% | 87% | 73% | 68% | 79% | 80% | 68% | | | | |
| WESTHOLME ASAICHI | | | | 1 | 68 | 37 | 0 | +0.4 | +4.4 | +22 | +39 | +46 | +54 | +3 | +1.7 | +0.9 | -0.7 | -0.7 | -0.3 | +26 | --- | --- | |
| AACFB0308 | | 38 | TWAFR0003 | | | | | 69% | 92% | 91% | 90% | 82% | 70% | 59% | 84% | 66% | 77% | 78% | 65% | | | | |
| WESTHOLME ASH TERUKAZU 2/2 (COM) | | | | 1 | 28 | 23 | 0 | -0.7 | +1.9 | +18 | +28 | +41 | +45 | --- | +1.4 | +2.1 | -0.4 | 0.0 | +0.3 | +55 | --- | --- | |
| AACFC0396 | | 38 | HS FW0006 | | | | | 50% | 90% | 82% | 79% | 83% | 71% | 77% | 57% | 71% | 72% | 56% | | | | | |
| WESTHOLME B0039 | | | | 1 | 13 | 4 | 4 | +0.4 | +1.3 | +8 | +12 | +17 | +16 | -1 | -0.5 | +0.2 | +0.5 | +0.6 | +0.1 | +19 | --- | --- | |
| WESFB0039 | | 38 | IMUFQTF148 | | | | | 64% | 84% | 77% | 77% | 75% | 67% | 65% | 59% | 57% | 67% | 67% | 58% | | | | |
| WESTHOLME B0100 | | | | 1 | 58 | 35 | 0 | +2.0 | +1.4 | +14 | +6 | +11 | +14 | +2 | 0.0 | +0.2 | +0.7 | +1.1 | +0.2 | +14 | --- | --- | |
| WESFB0100 | | 27 | IMJFAJ2351 | | | | | 66% | 93% | 87% | 85% | 87% | 76% | 60% | 88% | 68% | 77% | 78% | 67% | | | | |
| WESTHOLME D0170 (COM) | | | | 1 | 21 | 11 | 0 | +0.5 | +1.3 | +12 | +13 | +22 | +25 | +7 | -0.1 | +0.9 | 0.0 | -0.5 | +0.4 | +32 | --- | --- | |
| AACFD0170 | | 38 | WESFZ0018 | | | | | 58% | 87% | 81% | 81% | 78% | 67% | 54% | 68% | 60% | 71% | 72% | 59% | | | | |
| WESTHOLME D0187 | | | | 1 | 12 | 11 | 0 | +0.6 | +3.8 | +21 | +30 | +42 | +44 | +4 | +1.1 | +3.2 | +1.2 | +1.4 | +0.3 | +59 | --- | --- | |
| AACFD0187 | | 38 | AACFA0413 | | | | | 57% | 83% | 80% | 81% | 78% | 68% | 52% | 74% | 60% | 69% | 70% | 57% | | | | |
| WESTHOLME D0310 (COM) | | | | 1 | 29 | 15 | 0 | +1.5 | +4.1 | +16 | +35 | +39 | +50 | --- | -0.2 | +0.1 | -0.8 | -0.6 | -0.1 | +15 | --- | --- | |
| AACFD0310 | | 38 | TFWFW0629 | | | | | 69% | 89% | 86% | 85% | 79% | 67% | 74% | 61% | 71% | 72% | 59% | | | | | |
| WESTHOLME D0671 (COM) | | | | 1 | 24 | 20 | 0 | -0.3 | -1.4 | +2 | +7 | +8 | +3 | +1 | +0.3 | +0.5 | +0.4 | +0.2 | 0.0 | +14 | --- | --- | |
| AACFD0671 | | 38 | IMUFQTF148 | | | | | 63% | 89% | 84% | 85% | 80% | 71% | 59% | 71% | 64% | 75% | 76% | 63% | | | | |
| WESTHOLME D0676 (COM) | | | | 1 | 7 | 4 | 0 | -0.2 | +0.9 | +11 | +18 | +30 | +31 | +1 | +0.3 | +0.1 | +0.9 | -0.2 | +0.3 | +40 | --- | --- | |
| AACFD0676 | | 38 | IMUFQTF148 | | | | | 60% | 82% | 78% | 78% | 76% | 68% | 59% | 62% | 59% | 67% | 68% | 57% | | | | |
| WESTHOLME D0697 (COM) | | | | 1 | 20 | 13 | 0 | -0.1 | +2.0 | +7 | +9 | +14 | +21 | -1 | +0.4 | -1.0 | +0.3 | +0.5 | +0.4 | +20 | --- | --- | |
| AACFD0697 | | 38 | TWAFR0007 | | | | | 63% | 87% | 83% | 83% | 80% | 70% | 57% | 65% | 61% | 72% | 73% | 60% | | | | |
| WESTHOLME D0755 | | | | 1 | 42 | 35 | 0 | +0.7 | +1.1 | +6 | +10 | +9 | +15 | -5 | +0.4 | -0.8 | +0.5 | +0.9 | +0.5 | +21 | --- | --- | |
| AACFD0755 | | 38 | IMUFM1615 | | | | | 78% | 90% | 88% | 88% | 80% | 68% | 58% | 84% | 65% | 75% | 75% | 66% | | | | |
| WESTHOLME D0924 (COM) | | | | 1 | 23 | 13 | 0 | -0.1 | +0.3 | +12 | +18 | +22 | +22 | --- | -0.1 | +1.0 | +0.6 | +0.7 | +0.8 | +53 | --- | --- | |
| AACFD0924 | | 38 | PEDFS100 | | | | | 54% | 86% | 82% | 82% | 75% | 62% | 72% | 59% | 70% | 71% | 58% | | | | | |
| AVERAGE EBV FOR 2010 BORN CALVES: | | | | | | | | +0.1 | +1.0 | +9 | +14 | +18 | +18 | +1 | +0.1 | +0.4 | +0.2 | +0.3 | +0.1 | +20 | --- | --- | --- |

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

☐ Denotes Trait Leader.

2012 September Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIRES

| | | | GROUP ESTIMATED BREEDING VALUES | | | | | | | | | | | | | | | | | | | |
|--|------------------|------------|---------------------------------|--------------|--------------|--------------|-------------|-------------|------------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-----|-----|-----|
| ANIMAL NAME Ident | Owner Code(s) | Sire | Statistics | | | | Birth | | Growth | | | | | Carcase | | | | Indexes | | | | |
| | | | Num Herd | Prog Anly | Prog Scan | Perf Dtrs | GL acc | Bwt acc | 200 acc | 400 acc | 600 acc | Mwt acc | MILK acc | SS acc | EMA acc | Rib acc | Rump acc | IMF% acc | Full Flot | | | |
| WESTHOLME D0931 (COM) | 38 | PEDFA2892 | 1 | 10 | 0 | 0 | -0.4 | +0.7 | +4 | +12 | +16 | +25 | --- | +0.2 | -2.3 | -1.3 | -0.6 | -0.2 | -7 | --- | --- | --- |
| AACFD0931 | | | | | | | 54% | 79% | 77% | 74% | 70% | 59% | 55% | 52% | 58% | 60% | 49% | | | | | |
| WESTHOLME D0965 (COM) | 38 | PEDFS100 | 1 | 22 | 0 | 0 | +0.4 | -0.8 | -1 | +7 | +5 | +11 | --- | -0.3 | +0.3 | +0.5 | +1.0 | +0.9 | +36 | --- | --- | --- |
| AACFD0965 | | | | | | | 51% | 82% | 82% | 76% | 72% | 59% | 55% | 51% | 57% | 59% | 47% | | | | | |
| WESTHOLME HAYABUSA | 38 | TWAFR0007 | 1 | 32 | 28 | 0 | +1.0 | +2.1 | +10 | +19 | +22 | +31 | -4 | +0.1 | -0.6 | +0.3 | +0.3 | +0.1 | +15 | --- | --- | --- |
| AACFC0642 | | | | | | | 59% | 89% | 85% | 86% | 80% | 67% | 52% | 62% | 73% | 74% | 59% | | | | | |
| WESTHOLME HIRASHIGETAMANA | 38 | IMJFAJ2351 | 3 | 77 | 59 | 17 | +2.4 | +3.4 | +13 | +16 | +19 | +24 | +4 | +1.6 | 0.0 | +0.9 | +0.2 | -0.5 | -5 | --- | --- | --- |
| WESFA0107 | | | | | | | 82% | 95% | 92% | 92% | 91% | 81% | 77% | 73% | 83% | 83% | 72% | | | | | |
| WESTHOLME HIRASHIGETAYASU Z278 | 3,18 | IMJFAJ2351 | 6 | 255 | 133 | 65 | +2.3 | +5.0 | +22 | +35 | +44 | +48 | +4 | +2.1 | +1.5 | -1.6 | -1.6 | -0.5 | +20 | --- | --- | --- |
| WESFZ0278 | | | | | | | 68% | 93% | 94% | 93% | 93% | 82% | 87% | 72% | 82% | 83% | 72% | | | | | |
| WESTHOLME ITOKIKUNAMI 1/3 | 38 | IMUFQTF148 | 1 | 26 | 18 | 0 | +0.4 | -0.1 | +9 | +11 | +11 | +2 | -3 | -1.2 | +0.5 | +0.2 | +0.3 | 0.0 | +13 | --- | --- | --- |
| AACFB0454 | | | | | | | 61% | 87% | 85% | 85% | 79% | 68% | 58% | 65% | 74% | 75% | 63% | | | | | |
| WESTHOLME ITOKIKUNAMI 2/3 | 38 | IMUFQTF148 | 1 | 42 | 22 | 0 | +0.1 | -1.2 | +4 | +12 | +13 | +6 | -3 | -0.8 | +2.0 | +1.2 | +1.1 | +0.5 | +42 | --- | --- | --- |
| AACFB0456 | | | | | | | 64% | 91% | 88% | 85% | 84% | 73% | 58% | 65% | 76% | 76% | 65% | | | | | |
| WESTHOLME ITOKIKUNAMI 3/3 | 38 | IMUFQTF148 | 1 | 97 | 66 | 2 | +0.5 | -0.3 | +5 | +14 | +15 | +7 | -3 | 0.0 | +1.2 | 0.0 | +0.7 | +0.4 | +40 | --- | --- | --- |
| AACFB0460 | | | | | | | 67% | 95% | 92% | 91% | 90% | 77% | 60% | 70% | 81% | 82% | 69% | | | | | |
| WESTHOLME ITOKITATERU | 38 | IMUFN2294 | 1 | 48 | 21 | 2 | -2.0 | +0.9 | +10 | +19 | +23 | +26 | +1 | +0.8 | -0.6 | -0.4 | -0.2 | +0.1 | +21 | --- | --- | --- |
| AACFB0576 | | | | | | | 67% | 92% | 88% | 85% | 86% | 74% | 57% | 62% | 73% | 74% | 60% | | | | | |
| WESTHOLME ITONAMI 3 | 38 | IMUFLTF151 | 1 | 12 | 11 | 0 | -1.4 | -1.1 | +10 | +11 | +12 | +4 | -1 | +0.1 | -1.0 | +0.3 | +0.1 | +0.7 | +40 | --- | --- | --- |
| AACFB0591 | | | | | | | 58% | 86% | 80% | 81% | 75% | 65% | 55% | 60% | 68% | 70% | 57% | | | | | |
| WESTHOLME ITOSHIGEFUKU | 38 | IMUFQTF148 | 1 | 63 | 50 | 4 | +1.1 | +0.1 | +2 | 0 | +4 | +3 | -5 | -0.8 | +0.8 | +1.5 | +1.4 | +0.9 | +42 | --- | --- | --- |
| AACFB0462 | | | | | | | 65% | 94% | 90% | 90% | 88% | 75% | 61% | 68% | 79% | 80% | 68% | | | | | |
| WESTHOLME ITOSUSHIMA A0215 | 38 | IMUFQTF148 | 1 | 11 | 9 | 1 | -1.4 | -3.1 | -5 | -6 | -9 | -17 | -3 | -1.0 | -1.0 | +1.1 | +1.4 | +0.4 | +10 | --- | --- | --- |
| WESFA0215 | | | | | | | 62% | 86% | 76% | 80% | 76% | 69% | 62% | 62% | 70% | 71% | 60% | | | | | |
| WESTHOLME ITOYOSHI 6 | 38 | PEDFP001 | 1 | 43 | 36 | 0 | -0.5 | -1.8 | -3 | -2 | -8 | -12 | --- | 0.0 | 0.0 | +1.5 | +1.6 | +0.7 | +25 | --- | --- | --- |
| AACFB0506 | | | | | | | 57% | 92% | 87% | 85% | 84% | 71% | --- | 64% | 75% | 76% | 62% | | | | | |
| WESTHOLME ITOZURUKEDAKA | 38 | IMUFLTF151 | 1 | 24 | 0 | 0 | 0.0 | +5.6 | +26 | +47 | +64 | +70 | 0 | +2.3 | +1.0 | -0.9 | -1.5 | 0.0 | +58 | --- | --- | --- |
| AACFC0665 | | | | | | | 61% | 88% | 84% | 79% | 78% | 70% | 60% | 55% | 62% | 64% | 52% | | | | | |
| WESTHOLME ITOZURUSAKAE | 38 | IMUFLTF151 | 1 | 4 | 0 | 0 | -0.7 | +3.4 | +18 | +27 | +36 | +37 | +1 | 0.0 | -0.2 | -0.8 | -1.3 | -0.1 | +22 | --- | --- | --- |
| AACFC0664 | | | | | | | 58% | 82% | 76% | 75% | 75% | 67% | 59% | 54% | 61% | 62% | 50% | | | | | |
| WESTHOLME KATSUKEDAKA | 38 | WSRFS0060 | 1 | 4 | 1 | 0 | -2.2 | -4.2 | -6 | -8 | -13 | -23 | 0 | -1.5 | +1.0 | +1.0 | +1.1 | +0.4 | +11 | --- | --- | --- |
| WESFB0005 | | | | | | | 61% | 79% | 75% | 75% | 72% | 66% | 59% | 56% | 63% | 65% | 53% | | | | | |
| WESTHOLME KITAIONAMI | 38 | PEDFP001 | 1 | 50 | 41 | 0 | -1.2 | -2.6 | -2 | 0 | -4 | -9 | --- | -0.4 | +0.5 | +1.9 | +1.7 | +1.4 | +57 | --- | --- | --- |
| AACFC0650 | | | | | | | 58% | 92% | 88% | 87% | 84% | 71% | 86% | 65% | 76% | 77% | 63% | | | | | |
| WESTHOLME KITANOSEIZAN | 38 | IMJFP2947 | 1 | 35 | 25 | 1 | +0.7 | +1.1 | +6 | +1 | 0 | +3 | +4 | +0.2 | -1.2 | -0.3 | 0.0 | 0.0 | -10 | --- | --- | --- |
| WESFB0038 | | | | | | | 59% | 90% | 86% | 86% | 82% | 70% | 56% | 64% | 74% | 75% | 63% | | | | | |
| WESTHOLME KITAZAKURA | 38 | PEDFP001 | 1 | 98 | 70 | 0 | -1.6 | -2.7 | 0 | +1 | -5 | -9 | --- | +0.7 | -1.6 | -0.5 | +0.4 | -0.4 | -20 | --- | --- | --- |
| AACFC0641 | | | | | | | 55% | 95% | 92% | 91% | 88% | 73% | 89% | 66% | 79% | 79% | 66% | | | | | |
| WESTHOLME NAMIYOSHI 4 | 38 | IMUFQTF148 | 1 | 45 | 35 | 0 | -0.3 | +0.7 | +10 | +24 | +27 | +26 | -1 | +1.2 | +3.5 | +1.5 | +1.6 | +1.0 | +80 | --- | --- | --- |
| AACFB0545 | | | | | | | 64% | 92% | 87% | 86% | 85% | 73% | 57% | 65% | 76% | 77% | 65% | | | | | |
| WESTHOLME SEKIDOI (IMP USA) | 2 | IMJFAJ2810 | 3 | 71 | 17 | 27 | -1.7 | +2.9 | +21 | +33 | +45 | +42 | +10 | -0.3 | +0.4 | -0.9 | -1.5 | 0.0 | +36 | --- | --- | --- |
| WESFTH004 | | | | | | | 63% | 84% | 87% | 86% | 83% | 73% | 78% | 62% | 73% | 73% | 63% | | | | | |
| WESTHOLME SEKITAYASU 98/1 (IMP USA) | 11 | IMJFAJ2351 | 1 | 49 | 0 | 4 | +2.2 | +4.0 | +22 | +29 | +45 | +47 | +8 | +1.0 | +2.2 | -0.1 | -0.7 | -0.2 | +37 | --- | --- | --- |
| WESFTH001 | | | | | | | 59% | 81% | 78% | 83% | 84% | 74% | 62% | 54% | 59% | 59% | 52% | | | | | |
| WESTHOLME SHIGETANAKA | 36 | IMJFAJ2351 | 1 | 28 | 5 | 3 | +1.6 | +0.4 | +11 | +16 | +16 | +10 | +6 | +0.5 | +0.6 | -0.5 | -0.9 | -0.4 | +2 | --- | --- | --- |
| WESFX0063 | | | | | | | 65% | 85% | 80% | 77% | 78% | 72% | 67% | 61% | 65% | 67% | 58% | | | | | |
| WESTHOLME TATSUKEDAKAFUJI | 38 | TWAFR0003 | 1 | 4 | 0 | 0 | -0.7 | +2.4 | +16 | +25 | +35 | +41 | +1 | +0.6 | -0.5 | -0.4 | -0.1 | +0.2 | +33 | --- | --- | --- |
| AACFC0762 | | | | | | | 58% | 82% | 75% | 71% | 72% | 63% | 55% | 49% | 56% | 57% | 46% | | | | | |
| WESTHOLME TERUKITAGUNE-DOI | 38 | IMJFAJ2810 | 1 | 65 | 41 | 10 | -1.6 | -0.2 | +6 | +10 | +12 | +11 | +5 | -0.8 | -0.2 | +0.3 | +0.1 | +0.3 | +18 | --- | --- | --- |
| WESFA0120 | | | | | | | 81% | 94% | 90% | 90% | 89% | 79% | 74% | 70% | 80% | 80% | 70% | | | | | |
| AVERAGE EBV FOR 2010 BORN CALVES: | | | | | | | +0.1 | +1.0 | +9 | +14 | +18 | +18 | +1 | +0.1 | +0.4 | +0.2 | +0.3 | +0.1 | +20 | | | |

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

 Denotes Trait Leader.

2012 September Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIRES

| ANIMAL NAME Ident | Owner Code(s) | Sire | Statistics | | | | GROUP ESTIMATED BREEDING VALUES | | | | | | | | | | | | | | | |
|--|------------------|-----------|-------------|--------------|--------------|--------------|---------------------------------|-------------|------------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-----|-----|-----|
| | | | Num Herd | Prog Anly | Prog Scan | Perf Dtrs | Birth | | Growth | | | | | Carcase | | | | Indexes | | | | |
| | | | | | | | GL acc | Bwt acc | 200 acc | 400 acc | 600 acc | Mwt acc | MILK acc | SS acc | EMA acc | Rib acc | Rump acc | IMF% acc | Full Flot | | | |
| WESTHOLME TSURUKUNI 2 AACFD0622 | 38 | PRMFW0628 | 1 | 8 | 6 | 0 | --- | +0.2 | +11 | +19 | +22 | +22 | --- | --- | +0.3 | -0.2 | +0.3 | +0.2 | +26 | --- | --- | --- |
| WESTHOLME YAMAARASHI WESFY0147 | 14 | IMUFM1615 | 1 | 4 | 0 | 0 | +0.9 | +2.8 | +16 | +24 | +34 | +36 | +1 | +1.3 | +2.0 | -0.3 | 0.0 | +0.3 | +49 | --- | --- | --- |
| WESTHOLME YASUZAKURA 1 AACFC0638 | 38 | IMUFN2294 | 1 | 103 | 32 | 0 | +0.2 | +2.1 | +7 | +12 | +12 | +20 | -4 | +0.9 | +0.3 | +0.2 | +0.4 | -0.1 | +4 | --- | --- | --- |
| WESTHOLME YASUZAKURA 2 AACFC0644 | 38 | IMUFN2294 | 1 | 44 | 16 | 0 | +0.1 | -0.9 | -8 | -7 | -11 | -1 | -4 | +0.6 | -0.7 | +0.7 | +1.2 | 0.0 | -14 | --- | --- | --- |
| WESTHOLME YASUZAKURA 3 AACFC0649 | 38 | IMUFN2294 | 1 | 48 | 22 | 0 | -0.6 | -0.1 | +2 | +4 | +3 | +8 | -4 | +1.6 | -1.2 | 0.0 | 0.0 | -0.5 | -18 | --- | --- | --- |
| WESTHOLME YUKIHARUNAMI AACFB0590 | 38 | IMUFQ2599 | 1 | 31 | 18 | 0 | +1.0 | +3.1 | +13 | +21 | +23 | +27 | --- | +0.7 | +1.2 | -0.3 | 0.0 | -0.7 | -7 | --- | --- | --- |
| WESTHOLME YUKIHARUZAKURA AACFC0640 | 38 | IMUFQ2599 | 1 | 68 | 42 | 0 | +0.1 | +1.3 | +9 | +10 | +17 | +20 | --- | -0.5 | -1.2 | -0.6 | -0.4 | -0.6 | -17 | --- | --- | --- |
| WICKIUP KANADAGENE X162 3NOFX0162 | 16 | IMUFP0100 | 2 | 33 | 0 | 4 | +1.7 | +1.3 | +6 | +11 | +12 | +18 | -9 | --- | --- | --- | --- | --- | +28 | --- | --- | --- |
| YASUFUKU JR PEDFS100 | | PEDFAJ930 | 4 | 116 | 75 | 11 | +0.1 | -2.8 | -10 | -12 | -15 | -8 | -5 | -0.5 | -0.2 | +1.5 | +1.8 | +1.3 | +34 | --- | --- | --- |
| AVERAGE EBV FOR 2010 BORN CALVES: | | | | | | | +0.1 | +1.0 | +9 | +14 | +18 | +18 | +1 | +0.1 | +0.4 | +0.2 | +0.3 | +0.1 | +20 | | | |

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

Denotes Trait Leader.

Number of sires included in list = 134